


Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (currently amended) A compound of the general formula (I)




wherein

R¹ is selected from

hydrogen, a branched or straight C₁-C₆ alkyl, C₁-C₆ alkenyl, C₃-C₈ cycloalkyl, C₄-C₈(alkyl-cycloalkyl) wherein alkyl is C₁-C₂ alkyl and cycloalkyl is C₃-C₆ cycloalkyl;

C₆-C₁₀ aryl; or heteroaryl having from 5 to 10 atoms selected from any of C, S, N and O; wherein the aryl and heteroaryl may optionally and independently be substituted by 1 or 2 substituents independently selected from any of hydrogen, CH₃, (CH₂)_pCF₃, halogen, CONR⁵R⁴, COOR⁵, COR⁵, (CH₂)_pNR⁵R⁴, (CH₂)_pCH₃(CH₂)_pSOR⁵R⁴, (CH₂)_pSO₂R⁵, (CH₂)_pSO₂NR⁵ and (CH₂)_pOR⁵, wherein R⁴ and R⁵ is each and independently as defined for R¹ above and p is 0, 1 or 2;


(C₁-C₂ alkyl)-(C₆-C₁₀ aryl); or (C₁-C₂ alkyl)heteroaryl, the heteroaryl moieties having from 5 to 10 atoms selected from any of C, S, N and O, and where the aryl or heteroaryl may optionally and independently be substituted by 1 or 2 substituents independently selected from any of hydrogen, CH₃, -(CH₂)_qCF₃, halogen, -CONR⁵R⁴, -COOR⁵, -COR⁵, -(CH₂)_qNR⁵R⁴, -(CH₂)_qCH₃(CH₂)_qSOR⁵R⁴, -(CH₂)_qSO₂R⁵, -(CH₂)_qSO₂NR⁵, and -(CH₂)_qOR⁵ wherein R⁴ and R⁵ is each and independently as defined for R¹ above and q is 0, 1 or 2; and



wherein R¹⁸, R¹⁹, R²⁰, R²¹, R²², R²³, and R²⁴ and R²⁵ is each and independently hydrogen, C₁-C₆ alkyl or C₁-C₆ alkenyl;

R² and R³ is each and independently hydrogen or C₁-C₆ alkyl;

A is selected from



wherein R⁸, R⁹, R¹⁰, R¹¹, R¹², R¹³, R¹⁴, R¹⁵, R¹⁶ and R¹⁷ is each and independently as defined for R¹ below, and wherein the phenyl ring of each A substituent may be optionally and independently substituted by 1 or 2 substituents Z¹ and Z² selected from hydrogen, CH₃, - (CH₂)_qCF₃, halogen, -CONR⁶R⁷, -CO₂R⁶, -COR⁶, -(CH₂)_nNR⁶R⁷, -(CH₂)_nCH₂(CH₂)_nSOR⁶, -(CH₂)_nSO₂R⁶ and -(CH₂)_nSO₂NR⁶R⁷ wherein R⁶ and R⁷ is each and independently as defined for R¹ above and r is 0, 1, or 2;

Q is C₅-C₆ hydroaryl or heterohydroaromatic having 5 or 6 atoms selected from anyone of C, S, N and O; C₅-C₆ cycloalkyl, or heterocycloalkyl having 5 or 6 atoms selected from any one of C, N, O and S; and where each Q may optionally be substituted by a substituent Z¹ and Z² as defined above;

B is


~~selected from phenyl, naphthyl, a substituted or unsubstituted aromatic, heteroaromatic, hydroaromatic or heterohydroaromatic moiety having from 5 to 10 atoms selected from any of C, S, N and O, optionally and independently substituted by 1 or 2 substituents independently selected from hydrogen, CH₃, -(CH₂)₂CF₃, halogen, -(CH₂)₂CONR⁵R⁴, -(CH₂)₂NR⁵R⁴, -(CH₂)₂COR⁵, -(CH₂)₂COOR⁵, -OR⁵, -(CH₂)₂SOR⁵, -(CH₂)₂SO₂R⁵, and -(CH₂)₂SO₂NR⁵R⁴, wherein R⁴ and R⁵ is each and independently as defined for R⁴ above, and t is 0, 1, 2 or 3; and~~

~~R⁴ and R⁵, R⁶, and R⁷, is each and independently selected from hydrogen, a branched or straight C₁-C₈ alkyl, C₁-C₈ alkenyl, C₃-C₈ cycloalkyl, C₄-C₈ (alkyl-cycloalkyl) wherein alkyl is C₁-C₂ alkyl and cycloalkyl is C₃-C₈ cycloalkyl as defined for R⁴ above;~~

as well as pharmaceutically acceptable salts of the compounds of the formula (I), and isomers, hydrates, isoforms and prodrugs thereof.

2. (currently amended) A compound of the formula (I) according to claim 1, wherein

A is selected from



wherein R⁸, R⁹, R¹⁰, R¹¹, R¹², R¹³, R¹⁴, R¹⁵, R¹⁶, R¹⁷ and R¹⁸ is each and independently as defined for R⁴ above, and wherein the phenyl ring of each A substituent may be optionally and independently substituted at any position of the phenyl ring by 1 or 2 substituents Z¹ and Z² which are each and independently selected from hydrogen, CH₃, -(CH₂)_kCF₃, halogen, -CONR⁶R⁷, -COOR⁶, -COR⁶, -(CH₂)_nNR⁶R⁷, -(CH₂)_nCH₃(CH₂)_pSOR⁶, -(CH₂)_pSO₂R⁶ and -(CH₂)_pSO₂NR⁶R⁷ wherein R⁶ and R⁷ is each and independently as defined for R⁴ above, and r is 0, 1, or 2;

Q is selected from morpholine, piperidine and pyrrolidine;

R¹, R⁴, and R⁶ is each and independently selected from hydrogen, a branched or straight C₁-C₄ alkyl, C₃-C₅ cycloalkyl, C₄-C₈ (alkyl-cycloalkyl) wherein alkyl is C₁-C₂ alkyl and cycloalkyl is C₃-C₆ cycloalkyl; C₆-C₁₀ aryl; and heteroaryl having from 5 to 6 atoms selected from any of C, S, N and O; and where the aryl or heteroaryl may optionally and independently be substituted by 1 or 2 substituents independently selected from any of hydrogen, CH₃, -(CH₂)_pCF₃, halogen, -CONR⁵R⁴, -COOR⁵, -COR⁵, -(CH₂)_pNR⁵R⁴, -(CH₂)_pCH₃(CH₂)_pSOR⁵R⁴, -(CH₂)_pSO₂R⁵, and -



$(CH_2)_pSO_2NR^5$, wherein R^4 and R^5 is each and independently as defined for R^1 above and p is 0, 1 or 2;







B is selected from phenyl, and naphthyl, indolyl, benzofuranyl, dihydrobenzofuranyl, benzothiophenyl, pyrrolyl, furanyl, quinoliny, isoquinoliny, cyclohexyl, cyclohexenyl, cyclopentyl, cyclopentenyl, indanyl, indenyl, tetrahydronaphthyl, tetrahydroquinyl, tetrahydroisoquinoliny, tetrahydrofuranlyl, pyrrolidinyl, and indazoliny, each optionally and independently substituted by 1 or 2 substituents independently selected from hydrogen, CH_3 , CF_3 , halogen, $-(CH_2)_qCONR^5R^4$, $-(CH_2)_qNR^5R^4$, $-(CH_2)_qCOR^5$, $-(CH_2)_qCO_2R^5$, and $-OR^5$; wherein q is 0 or 1, and wherein R^4 , R^5 , R^6 , and R^7 , is each and independently selected from hydrogen, a branched or straight C_1 - C_6 alkyl, C_1 - C_6 alkenyl, C_3 - C_6 cycloalkyl, C_4 - C_8 (alkyl-cycloalkyl) wherein alkyl is C_1 - C_2 alkyl and cycloalkyl is C_3 - C_6 cycloalkyl/ R^4 and R^6 are as defined above;




R^2 and R^3 is each and independently hydrogen or methyl.




3. (canceled)


4. (currently amended) A compound of the formula (I) according to claim 1, which compound is any of




























wherein R is morpholine, piperidine or pyrrolidine;





15. (currently amended) A compound according to ~~any of claim 1~~claim 1-7, further characterised in that it is isotopically labelled.

16. (canceled).

17. (original) An isotopically labelled compound of the formula (I) of claim 1.

18. (canceled).

19. (original) A pharmaceutical composition comprising a compound of the formula (I) according to claim 1 as an active ingredient, together with a pharmacologically and pharmaceutically acceptable carrier.

20-26. (canceled)